

■ NEMO

ATOM



ATOM COLORS



Eggshell
Flat



Eggshell
In



Eggshell
Out



Steel
Flat



Steel
In



Steel
Out




Smoke
Flat




Smoke
In



Smoke
Out



Graphite
Flat



Graphite
In




Graphite
Out



V2

Clearly distinguishable differences in texture and/or pattern within similar colors.



mosaic on 12.5x14.25 sheet

Packaging

Size	PC/ CTN	Sqft/ctn (Sqm/ctn)	Carton/ Pallet	Sqft/plt (Sqm/plt)	Lbs/ctn (Kgs/ctn)	Lbs/plt (Kgs/plt)
12.5x14.25" (311x356) Flat	11	10.33 (0.960)	45	465.97 (43.29)	31.97 (14.53)	1438.52 (651.65)
12.5x14.25" (311x356) Bevel In	11	10.33 (0.960)	45	465.97 (43.29)	25.35 (11.52)	1140.89 (516.82)
12.5x14.25" (311x356) Bevel Out	9	8.50 (0.789)	45	382.66 (35.42)	33.07 (15.03)	1488.35 (676.52)

Trims



Technical Characteristics	ASTM Test Result	ASTM/ANSI Test Method
Water Absorption %	<10%	A 187.1
Dimensionality (flatness, warpage, straightness, etc.)	premium grade conformance	ISO 10545-2 A 187.1
Thermal Shock & Cracking Resistance	Pass	ISO 10545- 9/11
Resistance to Stains, chemicals acids, etc.	Pass	ISO 10545- 13/14



 **NEMO**
NEMOTILE.COM

ATOM