

■ NEMO

BUILD



BUILD



BUILD




BUILD

o Double line Bicocción Rectified Rectificado



| | |
|---|--|
|  | Clase 1 R10 Natural Finish |
| | Clase 2 R10 Lappato Finish |

*For projects check technical information with our commercial network.
Para proyectos obtenga información técnica a través de nuestra red comercial.



Build Ivory Natural
89,46 x 89,46 cm G-3372



Build Ivory Natural
44,63 x 89,46 cm G-3194



Build Ivory Natural
29,75 x 59,55 cm G-3178



Build Ivory Natural
Mosaico 5x5
29,75 x 29,75 cm G-3638

Build Ivory Lappato
44,63 x 89,46 cm G-3234




Build Grey Natural
89,46 x 89,46 cm G-3372



Build Grey Natural
44,63 x 89,46 cm G-3194



Build Grey Natural
29,75 x 59,55 cm G-3178



Build Grey Natural
Mosaico 5x5
29,75 x 29,75 cm G-3638

Build Grey Lappato
44,63 x 89,46 cm G-3234



Build Vison Natural
89,46 x 89,46 cm G-3372



Build Vison Natural
44,63 x 89,46 cm G-3194



Build Vison Natural
29,75 x 59,55 cm G-3178



Build Vison Natural
Mosaico 5x5
29,75 x 29,75 cm G-3638

Build Vison Lappato
44,63 x 89,46 cm G-3234

Skirtings | Rodapiés



Build Vison Rodapié**
7,3 x 89,46 cm G-2125



Build Vison Rodapié**
7,3 x 59,55 cm G-2093



Build Vison Rodapié**
7,3 x 44,63 cm G-2085

*Commercial formats
Formatos comerciales.

** available in all colours of collection.
disponible en todos los colores de la colección.

30x90 cm *

Wall Tiles
Revestimiento

White Body
Pasta Blanca

Double firing
Bicocción

Rectified
Rectificado



Build Ivory
29,75 x 89,46 cm

G-3230



Build Grey
29,75 x 89,46 cm

G-3230



Build Vison
29,75 x 89,46 cm

G-3230



Build Ivory Effect
29,75 x 89,46 cm

G-3258




Build Grey Effect
29,75 x 89,46 cm

G-3258



Build Vison Effect
29,75 x 89,46 cm

G-3258




Build Ivory
Mosaico 2,5x2,5
29,75 x 29,75 cm

G-3756



Build Ivory
Corner
2 x 29,75 cm

G-2085




Build Grey
Mosaico 2,5x2,5
29,75 x 29,75 cm

G-3756



Build Grey
Corner
2 x 29,75 cm

G-2085



Build Vison
Mosaico 2,5x2,5
29,75 x 29,75 cm

G-3756



Build Vison
Corner
2 x 29,75 cm

G-2085

*29.75 cm x 59.55 cm when used on wall is for interiors only.



Neutral Silver Effect
29,75 x 89,46 cm




G-2465

*Commercial formats
Formatos comerciales.


Special Pieces

Piezas Especiales




Build Nat Vexa *
44 x 89,46 cm

G- 2599




Build Nat Cave *
43,55 x 89,46 cm

G- 2599



Build Nat Bag *
89,46 x 89,46 cm


G- 2795



Build Nat Bag - 90 *
44,63 x 89,46 cm

G- 2599


Steps | Peldaños



Build Nat Peldaño
Build Nat Peldaño Ángulo

89,46x89,46 cm


G- 2585
G- 2609



Build Nat Gradone
Build Nat Gradone Ángulo

89,46x89,46 cm


G- 2779
G- 2829



Build Nat/Lap Peldaño 90

44,63x89,46 cm


G- 2501



Build Nat/Lap Gradone-90

44,63x89,46 cm


G- 2693



Build Nat/Lap Peldaño Ang.

44,63x89,46 cm


G- 2515



Build Nat/Lap Gradone Áng.

44,63x89,46 cm


G- 2707



Build Lap Peldaño 60

29,75x59,55 cm


G- 2171



Build Nat Gradone-60

29,75x59,55 cm


G- 2499



Build Lap Peldaño Ang.

29,75x59,55 cm

G- 2187



Build Nat Gradone Ángulo

29,75x59,55 cm

G- 2559

* available in all colours of collection.
disponibles en todos los colores de la colección.

*This is a product made through a handmade process, therefore, its possible shade, texture or size variations must be considered as typical features of the material and they will not be admitted in a claim.

Este es un producto fabricado artesanalmente, por lo que posibles variaciones de tono, textura o dimension deben considerarse propias del material y no será objeto de reclamación.

BUILD



TECHNICAL FEATURES

| Characteristics | Test Method | Results |
|---------------------|--------------------------------|------------------------------|
| Water Absorption | EN ISO 10545-3 | $\leq 0.1\%$ |
| Breaking Strength | EN ISO 10545-4 | $> 2.700 \text{ N}$ |
| Modulus of Rupture | EN ISO 10545-4 | $\geq 43 \text{ M/mm}^2$ |
| Abrasion Resistance | EN ISO 10545-6 | 129 mm^3 |
| Frost Resistance | EN ISO 10545-12 | PASS |
| Slip Resistance | UNE - ENV 12633 | $R_d = 37-43$ (Class 2) |
| Bond Strength | EN 12004: 2007 + A1: 2012, 4.1 | Type C2 $> 1 \text{ N/mm}^2$ |
| Chemical Resistance | EN ISO 10545-13 | UA |
| Stain Resistance | EN ISO 10545-14 | 5 |



 **NEMO**
NEMOTILE.COM

BUILD