

NEMO LUNA





LUNA



LUNA

LUNA



Hexagon Eclipse


Shown in White Moon Transparent Finish
Also available in Silk and Craquele
9"x8"



AQUA
SILK, TRANSPARENT OR
CRAQUELE*




GREY STONE
SILK, TRANSPARENT OR
CRAQUELE*



CHARLESTON GRAY
SILK, TRANSPARENT OR
CRAQUELE*

* Craquele is special order on all colors except White Moon.



Plain Hexagon


Shown in White Moon Transparent Finish
Also available in Silk and Craquele
9"x8"



AQUA
SILK, TRANSPARENT OR
CRAQUELE*



GREY STONE
SILK, TRANSPARENT OR
CRAQUELE*




CHARLESTON GRAY
SILK, TRANSPARENT OR
CRAQUELE*


* Craquele is special order on all colors except White Moon.

LUNA LAYOUT OPTIONS


HALF HEXAGON PLAIN 4"x9"




HALF HEXAGON PLAIN 4"x9"




HALF HEXAGON PLAIN 4"x9"




HALF HEXAGON PLAIN 4"x9" + DIAMOND 4,5"x8"




HEXAGON PLAIN 8"x9" + HEXAGON ECLIPSE 8"x9"




HALF HEXAGON PLAIN 4"x9" + DIAMOND 4,5"x8"







DIAMOND 4,5"x8"



DIAMOND 4,5"x8"



LUNA SIZES AND SPECS

LUNA SIZES				
	HEXAGON PLAIN 8"x9"	HEXAGON ECLIPSE 8"x9"	HALF HEXAGON PLAIN 4"x9" <i>Special order</i>	DIAMOND 4,5"x8" <i>Special order</i>
Craquelè				
WHITE MOON	U500	U501	U502	U506
AQUA <i>Special order</i>	U510	U511	U512	U516
GREY STONE <i>Special order</i>	U530	U531	U532	U536
CHARLESTON GREY <i>Special order</i>	U520	U521	U522	U526
Transparent				
WHITE MOON	U340	U341	U342	U346
AQUA	U310	U311	U312	U316
GREY STONE	U330	U331	U332	U336
CHARLESTON GREY	U320	U321	U322	U326
Silk				
WHITE MOON	U800	U801	U802	U806
AQUA	U810	U811	U812	U816
GREY STONE	U830	U831	U832	U836
CHARLESTON GREY	U820	U821	U822	U826

SPECIAL PIECES Available in all colours and finishing



CHAIR RAIL
1,5"x10"



QUARTER ROUND
0,5"x8"

TECHNICAL CHARACTERISTICS

DOUBLE FIRING L - BIII GL - (E > 10%) - UNI EN 14411 - L -

SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	DOUBLE FIRING AVERAGE VALUE
Dimension and appearance	ISO 10545-2	Prospect L1	Compliant
Water absorption	ISO 10545-3	> 10%	> 10%
Flexsural resistance	ISO 10545-4	≥ 7,5 mm min. 15N/mm2 ≥	17 N/mm2
Linear expansion thermic coefficient	ISO 10545-8	Available on request	6,6 x 10-6
Resistance to sudden temperature changes	ISO 10545-9	Available on request	Resistant
Grazing Resistance	ISO 10545-11	Always tested	Resistant
Chemical Resistance	ISO 10545-13	Min. GB	GA
Stain Resistance (In all boxes will be attached SEALING INSTRUCTIONS)	ISO 10545-14	From 1 to 5 - Min. 3	5



NEMO

NEMOTILE.COM

LUNA