

# NEMO

TILE + STONE

## RIFT



RIFT





RIFT



RIFT





RIFT



# RIFT COLORS

PORCELAIN SLAB FLOOR & WALL TILE



BIANCO NATURALE

RIFT



# RIFT

## TECHNICAL FEATURES


Type	Porcelain
Reaction to Fire	Class A1
Stain Resistance	Class 3 min.*
Water Absorption	≤ 0.2%
DCOF	> 0.42
Frost Resistant	Resistant
Bending Stregnth	≥ 35 N / mm <sup>2</sup>
Thickness	6 mm
Break Strength	≥ 700 N
Resistance to Deep Abrasion	≤ 135 mm <sup>3</sup>
Rectified	Yes

## PACKING INFORMATION


FORMAT	COLOR	FINISH	SO.FT. PER BOX	WGT. OF BOX	PEICES IN BOX	BOXES ON PALLET	SO.FT. PER PALLET	WGT. OF PALLET
39" X 98"	BIANCO	NATURAL	538 SQ.FT.	1752.6 LB.	20	1	538 SQ.FT.	1752.6 LB.
40" X 40"	BIANCO	NATURAL	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB
59" X 59"	BIANCO	NATURAL	484.2 SQ.FT.	55 LB	20	1	484.2 SQ.FT.	55 LB




## SIZE



39x98



40x40



59x59

## TRIMS



3<sup>3</sup>/<sub>4</sub>" X 39<sup>3</sup>/<sub>8</sub>" BULLNOSE





**NEMO**  
TILE + STONE  
RIFT