

NEMO
TILE + STONE
STORM



STORM



STORM



STORM



STORM



STORM COLORS

PORCELAIN SLAB FLOOR & WALL TILE



GRIS NATURAL



GRIS NATURAL MOSAIC



NEGRO NATURAL



NEGRO NATURAL



NEGRO NATURAL MOSAIC

STORM



STORM

TECHNICAL FEATURES


Type	Porcelain
Reaction to Fire	Class A1
Stain Resistance	Class 3 min.*
Water Absorption	≤ 0.2%
DCOF	> 0.42
Frost Resistant	Resistant
Bending Stregnth	≥ 35 N / mm ²
Thickness	6 mm, 10.5 mm
Break Strength	≥ 700 N
Resistance to Deep Abrasion	≤ 135 mm ³
Rectified	Yes

PACKING INFORMATION


FORMAT	COLOR	FINISH	SQ.FT. PER BOX	WGT. OF BOX	PEICES IN BOX	BOXES ON PALLET	SQ.FT. PER PALLET	WGT. OF PALLET
39" X 98"	GRIS NEGRO	NATURAL PULIDO	538 SQ.FT.	1752.6 LB.	20	1	538 SQ.FT.	1752.6 LB.
40" X 40"	GRIS NEGRO	NATURAL PULIDO	21.52 SQ.FT.	60.8 LB	2	24	516.4 SQ.FT.	1574 LB
59" X 59"	GRIS NEGRO	NATURAL PULIDO	484.2 SQ.FT.	55 LB	20	1	484.2 SQ.FT.	55 LB
59" X 118"	GRIS NEGRO	NATURAL PULIDO	774.7 SQ.FT	2597 LB	16	1	774.7 SQ.FT	2597 LB
12" x 12" MOSAIC	NEGRO	NATURAL	13.5 SQ.FT	31.9 LB	14	36	489.1 SQ.FT	1150.8 LB

STORM


SIZE




39x98




40x40



59x118



59x59



12x12

TRIMS



3³/₄" X 39³/₈" BULLNOSE





NEMO
TILE + STONE
STORM