

NEMO STRUCTURE



STRUCTURE



STRUCTURE



STRUCTURE

COLORS

PORCELAIN



AV221
GYPSUM



AV222
SANDSTONE



AV223
SHALE



AV224
TIMBER




AV225
BASALT

STRUCTURE



STRUCTURE





24" x 24"



12" x 24"




6" x 24"




6" x 6"

SIZES & FINISHES


Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 6	147 x 597	10.5	UPS
6 x 24	297 x 297	10.5	UPS
12 x 24	597 x 597	10.5	UPS
24 x 24	297 x 297	10.5	UPS
6 x 12 Cove Base	150 x 297	10.5	UPS
4 x 24 Single Bullnose	96 x 597	10.5	UPS



4"x24" Single Bullnose



6"x12" Cove Base



V2

Clearly distinguishable differences in texture and/or pattern within similar colors.

TECHNICAL INFORMATION

Specification	Test	Structure
Breaking Strength	ASTM C648	> 500 lbf
Bond Strength	ASTM C482	> 200 psi
Chemical Resistance	ASTM C650	Unaffected
Frost Resistance	ASTM C1026	Resistant
Water Absorption	ASTM C373	< 0.20%
Scratch Hardness	MOHS Scale	7
DCOF	AcuTest	UPS: 0.50 - 0.60



 **NEMO**
NEMOTILE.COM

STRUCTURE